



JFD

JFD ELECTRONICS CO. / COMPONENTS DIVISION 
15th Avenue at 62nd Street • Brooklyn, N.Y. 11219

BLK. RT.




T NELSON
BOX 1546
POUGHKEEPSIE N Y 12603



**smallest
high RF
power
capacitors
available**


JFD'S
NEW UNICERAM
- UFP SERIES



JFD/COMPONENTS DIVISION owes its growth to industry's overall acceptance and recognition that JFD components represent the state-of-the-art. Testimony to our success is the use of our capacitors in such sophisticated circuitry as — LEM, Gemini and Apollo.

Over the past seventeen years, since our inception, we have maintained a staff of engineering talent necessary to the continued technological advancement in our broad product lines. Close design liaison with our customers has produced practical solutions to pressing problems. In order that production run quality be maintained at the highest level, we have built in rigid quality controls at each stage of manufacture. Finally, another hallmark of JFD is prompt delivery at a reasonable price.

With our attention on the future locked-in, we hope to continue to merit your confidence in JFD components.



JFD UNICERAM — UFP SERIES — The smallest high RF power capacitors available!

The UFP Series offers the design engineer a broad line of miniaturized high voltage and high current fixed ceramic capacitors for use in RF circuits. These highly stable, small, reliable UFP's have been used up to 200 MHz. They are the ideal 'space-savers' for today's military communications, mobile, commercial broadcast and amateur radio transmitters.

UFP1's measure only 35/64" square X 11/64" thick. High Q 'Uniceram' proprietary ceramic material with special internal monolithic construction yields high power handling capabilities per unit volume. Glass encapsulation insures a moisture seal. Wide fine silver ribbon leads are used because of their low inductance and high RF current carrying capabilities.


Capacitance values from 10pf to 3000pf ($\pm .5$ pf for low capacitance values; $\pm 5\%$ and $\pm 10\%$ for higher values).

Rated at 8 amperes at 25°C with derating for higher temperatures.

Voltage rating (Typ.) at +25°C is 3000 volts rms for values up to 150 pf (UFP1) and up to 330pf (UFP3) with derating for higher temperatures.

Catalog UFP-68 gives all details. Use the attached postage-paid reply card to get your copy.

UNICERAM



JFD/COMPONENTS DIVISION owes its growth to industry's overall acceptance and recognition that JFD components represent the state-of-the-art. Testimony to our success is the use of our capacitors in such sophisticated circuitry as — LEM, Gemini and Apollo.

Over the past seventeen years, since our inception, we have maintained a staff of engineering talent necessary to the continued technological advancement in our broad product lines. Close design liaison with our customers has produced practical solutions to pressing problems. In order that production run quality be maintained at the highest level, we have built in rigid quality controls at each stage of manufacture. Finally, another hallmark of JFD is prompt delivery at a reasonable price.

With our attention on the future locked-in, we hope to continue to merit your confidence in JFD components.



Yes:

Expedite my request for
all latest literature and
specifications pertaining to
Uniceram — UFP Series
— high RF current fixed
ceramic capacitors.

Company _____ Dept. _____


Name _____ Title _____

Address _____

City _____ State _____ Zip _____

Phone _____ Ext. _____ Mail Stop _____

There is a JFD quality component



to fill any requirement—electrical—mechanical—budgetary. Our family of components—glass and quartz Piston Trimmers, VAM (air variable), Uniceram (fixed ceramic capacitors), Modutrim (subminiature trimmers), LC Tuners, Long Life Compactuners, MTLC (ultraminiature tuners), Stangard (low-cost, fixed and variable capacitors) and Delay Lines—is designed to meet all requirements at each level of circuit sophistication: from exotic sub-miniature packages to standard commercial systems.

JFD

"TODAY'S COMPONENTS BUILT FOR TOMORROW'S CHALLENGES"

JFD ELECTRONICS CO. / COMPONENTS DIVISION 15th Avenue at 62nd Street
Brooklyn, N.Y. 11219 / Phone 212-331-1000 / TWX 710-584-2462 **Sales Offices**
— Arcadia, Calif. / Sunnyvale, Calif. / Chicago, Ill. / Framingham, Mass. /
Ellicott City, Md. / Bklyn., N.Y. / New Hartford, N.Y. / Cinn., Ohio /
Phila., Pa. / Paris, France / Azor, Israel

FIRST CLASS
PERMIT NO. 20169
BROOKLYN, N. Y.

BUSINESS REPLY MAIL

No postage necessary if mailed in the U.S.A.

POSTAGE WILL BE PAID BY —

JFD ELECTRONICS CO.
COMPONENTS DIVISION

15th AVENUE AT 62nd STREET
BROOKLYN, NEW YORK 11219

JFD UNICERAM — UFP SERIES — The smallest high RF power capacitors available!

The UFP Series offers the design engineer a broad line of miniaturized high voltage and high current fixed ceramic capacitors for use in RF circuits. These highly stable, small, reliable UFP's have been used up to 200 MHz. They are the ideal 'space-savers' for today's military communications, mobile, commercial broadcast and amateur radio transmitters.

UFP1's measure only $35/64$ " square X $11/64$ " thick. High Q 'Uniceram' proprietary ceramic material with special internal monolithic construction yields high power handling capabilities per unit volume. Glass encapsulation insures a moisture seal. Wide fine silver ribbon leads are used because of their low inductance and high RF current carrying capabilities.

Capacitance values from 10pf to 3000pf ($\pm .5$ pf for low capacitance values; $\pm 5\%$ and $\pm 10\%$ for higher values).

Rated at 8 amperes at 25°C with derating for higher temperatures.

Voltage rating (Typ.) at $+25^{\circ}\text{C}$ is 3000 volts rms for values up to 150 pf (UFP1) and up to 330pf (UFP3) with derating for higher temperatures.

Catalog UFP-68 gives all details. Use the attached postage-paid reply card to get your copy.

UNICERAM

